

 **veenhuis**

CORPORATE  
BROCHURE



# Manure Matters

# VEENHUIS MACHINES



## Why?

Veenhuis Machines contributes to feeding soils, plants, animals and people. Sustainable agriculture in line with PlanetProof principles and a sustainable food chain are global goals.

We believe in utilising a closed cycle of natural fertilisers, which ensures that the nutrients provided by liquid manure are optimally used.



## How?

Veenhuis Machines develops, designs and manufactures systems and products that enable farmers to benefit from organic fertilisers and the nutrients contained in them.

Veenhuis Machines uses measurement and low-emission application technology to reduce nutrient leakage into the minerals cycle.

Natural fertilisers are not a waste product – quite the contrary: Organic fertiliser provides important nutrients for healthy soils.

Our challenges lie in evaluating slurry, and in using and applying it correctly.



## What?

Veenhuis has specialised in products for processing, transporting and spreading liquid manure since 1938, and our company's expertise is renowned all over the world.

The unmistakable yellow Veenhuis machines are synonymous with high quality.

Manure Matters!

## Manure Matters

**Whenever you think of manure, Veenhuis Machines should be the first thing to come to mind.**

Veenhuis Machines has over 75 years of experience in the development and design of agricultural machinery, and this is clearly reflected in the quality and unparalleled functionality of Veenhuis machinery. Veenhuis is a specialist supplier of a full range of products for processing, transporting and spreading liquid manure. Veenhuis has the right solution for any (operative) situation.



## FEATURES

- ⊕ Tandem boogie
- ⊕ Numerous options
- ⊕ Double-acting Veenhuis 4-point linkage
- ⊕ Galvanised

# ECO- LINE

## High-quality machine, inexpensive entry-level model

The Veenhuis Ecoline tank delivers a high-quality machine at an affordable price. The Veenhuis Ecoline tank is available as a tandem tank and features a boogie assembly. The option of installing tyres up to a size of 850/50 R30.5 is an exception in this market segment, which emphasises just how important Veenhuis believes minimal soil impact is. The tank and chassis form a unit and are fully galvanised for protection. Many of the options available in the Profiline segment can also be used in this segment (see Profiline options, pages 16–19).

Veenhuis Ecoline tanks are available with vacuum and screw pumps. The tank can be equipped with Vogelsang drag hose or Bomech trailing shoe spreaders as well as with Veenhuis injectors up to a certain working width and weight. Combined with the ability to control the implement via ISOBUS, this Ecoline machine features all the options and safeguards you need today and tomorrow.

### ECOLINE TANDEM AXLE TANKS

Capacity	Tank diameter	Tank length
14,850 L	1800 mm	6000 mm
16,600 L	1900 mm	6000 mm
18,450 L	2000 mm	6000 mm



## Tandem boogje

The Ecoline tank features an ADR tandem boogje with 150x150 axles. Solid axles with a robust spring assembly ensure that the Veenhuis tank offers the reliability and aesthetics the product deserves. The design with wheel arches in the tank creates a low centre of gravity while facilitating maximum wheel angles.



## Vacuum or screw (worm) pump

Ecoline tanks are available with vacuum or screw pumps. Tanks with vacuum pump are equipped with a 13,500-litre MEC pump, which stands out through its large capacity and low wear/low wear costs. Screw pump technology is used in the displacer version. Screw pumps deliver high, constant suction capacity, and the combination of a screw and stator creates a large contact surface, which enables the pump to take in slurry from greater depths. A cutter filter is available as an optional extra. Cutter filters protect the pump by cutting larger lumps down to pumpable size during the filling process.



 **veenhuis**

GOOD, BETTER, **MANURE**



[veenhuis.com](http://veenhuis.com)

t +31 (0)572 35 21 45  
e [info@veenhuis.com](mailto:info@veenhuis.com)

Almlosestraat 54  
8102 HE Raalte